

UNICO



YUNIO

The **Yunio X200** is specially designed for high-traffic locations that require an efficient and reliable coffee machine.

This advanced machine features two powerful coffee grinders and two powder units, ensuring an exceptional coffee experience with a variety of blends and flavors.

With the option to use fresh milk, you can enjoy delicious coffee with a creamy texture, such as cappuccinos and lattes, exactly the way you like them.

Dimensions

| | |
|-------------|-----|
| Height (mm) | 660 |
| Width (mm) | 305 |
| Depth (mm) | 540 |
| Weight (kg) | 30 |

Recommended usage

| | |
|--------------------------------|-------|
| Recommended daily usage (cups) | 70-90 |
|--------------------------------|-------|

Capacity

| | |
|--|---------|
| Water tank capacity (liters) | n/a |
| 8-liter water tank (option) | - |
| Bean hopper capacity (grams) | 2 x 700 |
| Powder container capacity (liters) | 2 x 1,8 |
| Grounds container (number of coffee pucks) | ± 90 |

Technical specifications

| | |
|--|-------|
| Grinder | 2 |
| Power at 220–240 V (Watts) | 2.900 |
| Fixed water connection | yes |
| Fixed water drain (optional) | yes |
| CF200A water filter in water tank | n/a |
| With fixed water connection: | |
| Claris Ultra 250 water filter with filter head | - |
| Claris Ultra 500 water filter with filter head | yes |
| Drink variations | 24 |

Milk system

| | |
|---|--------|
| Milk foam | yes |
| Milk powder container | yes 2x |
| Steam wand | no |
| Separate hot water outlet (tea) | yes |
| Integrated rinsing valve for milk system cleaning | yes |



combinations



X200 + SC10

SC10

Height (mm)
Width (mm)
Depth (mm)
Capacity (ml)

520
240
420
6.000



X200 + SC12

SC12

Height (mm)
Width (mm)
Depth (mm)
Capacity (ml)

527
300
420
10.000



KWWn + X200 + SC12

Cup warmer KWWn

Height (mm)
Width (mm)
Depth (mm)
Capacity (cups)

585
300
430
100

O

I

C

D

U